TO: EPSON 愛用者

FROM: EPSON 客服中心

主題敘述:原廠連續供墨印表機 L565 如何使用 EPSON SCAN 掃描文件,設定孔 洞忽略功能

適用機型:全系列連續供墨印表機

步驟 1.開啟 EPSON SCAN



步驟 2.將有裝訂孔文件放置於掃描器上



步驟 3.點選「組態」按鍵。

名稱(A)		目前設定		
主要設定	影像校正			
文件來源((U):	軍面	•	
大小(2):		自動値測		
拼接影像(T):		氣	*	
方向:		• C •		
文件歪斜校正(E)		開開	•	
抗巨 醇(R):		0°	-	
影像形式(Y):		彩色	-	
解析度(L)):	300 👻	dpi	
- 雙影像	輸出(1)	8	定(N)]	
17	· 预持持/P		點選"組態"按	

步驟 4.點選「文件」標籤。

EPS(भ्रेक्ट)	DN Scan	點選文件標籤	
f.	11.9		X
	預視 文件 其他		
主要	□品質預掃(Q)		
ż	色彩濃度取様區(D):	lzl 圭索	•
大	滴管取樣匾(₤):	[1±1畫素	•
捒			
方			
Ż			
tē			
£:			
B‡•		「森宇」「政治	1 teal/H)
9		10/3	
	西湖湖(2)		
	293(n)		

步驟 5.點選「去除裝訂孔」後,按下方「確定」。

<u>、</u> 相型		 乱 送 太 P 	标表訂九(1	VI)
預視 文件	T			
□去除裝訂孔((W)			
尺寸設定為"目	動"時的裁切	位置(C) 0	1.0 🕣 (公釐)	
邊界陰影校正	設定 (公釐)			
上(T)	3.0 🌲	下(B)	3.0 🌲	
左(L)	3.0 🌲	右(R)	3.0 🌲	
裝訂位置(雙調	面掃描)			
● 左(E)	®±	(0)		
■ 值測多頁進録	£(D)			
紙張厚度(P		標準	+	
		確定	10万 15	え明(H)
-				
(THE		11		

步驟 6.點選「掃描」即可完成。

定 名稱(A)	目前設定			
	儲存 删除			
要設定影像校正				
ζ件來源(Ŭ) :	単面・			
⟨小(ℤ):	自動値測 👻	To: Mr. Stephen G. McGregor From: Bosiaces Promotion Chief Subject: Dominum Game Market Date: December 20, 2007		
封 爰 影 像 (T) :	蕪 +			
5向:		With reference to your request, here I have the data on types of well-sold game induces of derivation three game coaction correspond to the solution of the s		
文件歪斜校正(E)	開始・	Size (ner)5 Jog Size (ner)5 Jo		
王明 (】):	0° -	1011 1012 1012 1012 1012 1012 1012 1012		
ℰ像形式(Y):	彩色 🔹			
蕲析度(L):	300 👻 dpi	Assignment: sabrait your opision on the following; - What has mode the U.S. game matter big? - What kind ogame saftware will become popular?		
] 雙影像輸出(1)	[設定(N)]	- What kind of husiness will consequently develop?		
通 預掃描()	2) 📑 🖬 🙆 🖓			