


TO：EPSON 愛用者


FROM：EPSON 客服中心

主題敘述：原廠連續供墨系統 Epson L565 如何透過面板手動設定 Wi-Fi

步驟 1、按主畫面  鍵，先確認液晶螢幕上方網路狀態為未連接，透過「▲」，選擇「Wi-Fi 設定」，按  鍵。



步驟 2、進入「Wi-Fi 設定」，透過「▲」、「▼」，選擇「Wi-Fi 設定精靈」，按  鍵。



※


步驟 3、進入「Wi-Fi 設定精靈」，印表機會開始進行搜尋 SSID，搜尋完成後，請透過「▲」、「▼」，選擇要連結的 SSID，按 **OK** 鍵。

※例如要連結的 SSID 為「EPSCallcenter」，按 **OK** 鍵。



步驟 4、透過「▲」或「▼」變更字元，「◀」或「▶」移動游標，透過數字鍵輸入密碼，輸入完成，按 **OK** 鍵。





步驟 5、設定完成後，畫面會再次顯示確認設定，按 **OK** 鍵，之後畫面會顯示「正在設定 Wi-Fi…請稍候」，畫面會顯示「設定完成」，按  開始鍵，列印網路狀態表。





步驟 6、設定完成，主畫面螢幕上會有 Wi-Fi 訊號表示設定成功。



---

Check Network Connection	PASS
--------------------------	------

---

Wireless Network Name (SSID) Check	PASS
Communication Mode Check	PASS
Security Mode Check	PASS
MAC Address Filtering Check	PASS
Security Key/Password Check	PASS
IP Address Check	PASS
Detailed IP Setup Check	PASS

---

Network is working correctly.

\*Signal strength is low. A router/access point channel conflict has been detected. If you have problems printing or scanning, improve your wireless network environment.

\*If your problems persist, see your documentation for help and networking tips.

---

#### Network Status

---

Printer Name	EPSONFFC10A
Printer Model	L565 Series
Network Type	Wireless LAN
Connection	39.0Mbps
TCP/IP Setup	Auto
IP Address	192.168.11.57
Subnet Mask	255.255.255.0
Default Gateway	192.168.11.1
Network Name (SSID)	EPSCallcenter
Communication Mode	Infrastructure
Security	WPA2-PSK(AES)
Signal Strength	Good
MAC Address	AC:18:26:FF:C1:0A
Epson Connect	Disable
Google Cloud Print	Disable
Google Cloud Print Configuration URL	<a href="http://192.168.11.57/">http://192.168.11.57/</a>