


TO：EPSON 愛用者



FROM：EPSON 客服中心

主題敘述：Epson AcuLaser CX37DNF 如何列印狀態表。



步驟 1、先按一下面板上，『向下』鍵，往下選到『REPORT/STATUS(報告/狀態選單)』，按『Select』按鍵確認。




步驟 2、面板上按『向下鍵』，選擇『REPORT(報告)』選項。按『Select(選擇)』鍵確認。



步驟 3、面板上按『向下鍵』，選擇『CONFIGURATION(設定頁)』選項。按『Select(選擇)』鍵確認。



步驟 4、面板上顯示『PRINT=Start』，按右手邊開始按鍵開始列印。



步驟 5、印表機列印出狀態表如下圖。

Product Name: Epson AcuLaser CX37

Configuration Page

```

DATE :MAY.26.2016 20:43
- Supplies Status -
Toner Cartridge Cyan          Status 54%      Cartridge Type Starter
Toner Cartridge Magenta       Status 0%       Starter
Toner Cartridge Yellow        Status 51%     Starter
Toner Cartridge Black         Status 21%     Starter
Photocon Cyan                 Status 100%
Photocon Magenta              Status 100%
Photocon Yellow               Status 100%
Photocon Black                Status 93%
Waste Toner Bottle            Status Ready

000595
000361
000956

4
10

7
10

1
1
0
3

0
0
0
1

- Counter -
Total Faces Counter: 000951 Total Duplex Counter: 000253 Fax Counter
Color Faces Counter 000124 Color Sheets Counter 000011 TX Counter 000001
Copy 000472 Printer 000196 RX Counter 000009
Monochrome Faces Counter 000249 Monochrome Sheets Counter 000196 Scan Counter 000462
Copy 000038 Printer 000024 Sheets Printed by Paper Tray
Printer 000068 Fax 000022 Tray1 000003
Fax 000000 Fax 000000 Tray2 000739

Total Faces Large Size: 000000 Total Scan Counter
Color Faces Large Size 000000 Total Scan/Fax 000123 Mono Scan Large Size 000000
Copy 000000 Total Scan/Fax Large Size 000000 Total Fax Scan 000001
Printer 000000 Total Scan 000339 Total Fax Scan Large Size 000000
Monochrome Faces Large Size 000000 Total Scan Large Size 000000 Color Copy Scan 000095
Copy 000000 Color Scan 000120 Color Copy Scan Large Size 000000
Printer 000000 Color Scan Large Size 000000 Mono Copy Scan 000244
Fax 000000 Mono Scan 000002 Mono Copy Scan Large Size 000000

- Paper -
Sheets Printed by Paper Size
A4 000739
B5(JIS) 000000
A5 000001
Legal 000000
Letter 000000
Others 000000

Sheets Printed by Paper Type
Plain Paper 000740 Envelope 000000
Recycled 000000 Letterhead 000000
Thick 000000 Postcard 000000
Thick2 000000 Label 000000
Glossy 000000 Single Side 000000
Glossy2 000000 Special 000000

- Machine Setting -
Serial Number A2YFE71000008
Auto Panel Reset(min) 0.5
Sleep(min) 15
Language ENGLISH
Tray Chaining OFF
Replace Toner BW Continue

- Network Setting -
Network Interface Ethernet 10Base-T/100Base-TX/1000Base-T
Host Name AL-CX37-CC2024
Bonjour Discovery ENABLE
DHCP DISABLE
BOOTP DISABLE
HTTP ENABLE
SNMP ENABLE
IP Address 192.168. 6.116
Subnet Mask 255.255. 0. 0
Gateway Address 0. 0. 0. 0
MAC Address 00:26:AB:CC:20:24

- Firmware Version -
Engine A2YF50FA-0000-41
CC Boot Code A2YF98D0000241
PP Boot Code A2YF99D0000141
CC Controlled A2YF35D0001241
PP Controlled A2YF30D0001141
CPLD V003

- Fax Setting -
Fax Number 1234
Tone/Pulse TONE
No. of Rings 2
Header ON
Def.Res STD/TEXT
Def.Bright 0
Line Monitor LOW
Def.Tx Report ON(ERROR)
Def.Rx Report ON(ERROR)
Footer OFF

- Options -
Tray3 Not Installed
Duplex Installed
Memory(Copy+Printer) 128Mb+256Mb
Hard Disk Not Installed
Card Not Installed

- Maintenance Parts-
Transfer Belt Unit 100%
Transfer Roller 100%
Fuser Unit 100%

- Fax Maintenance -
TX Speed 33.6 kbps
RX Speed 33.6 kbps
TX Level -10 dBm
RX Level -43 dBm
DTMF Level -6 dBm
CNG Level -10 dBm
CED Level -10 dBm
ECM Mode ON
Coding Scheme JBIG
Replace Toner Report OFF
Protocol OFF

2 / 0 / 0 / 3 / 0 / 0 / 4 / 0 / 0 / 3 / 0 / 0 / 0 / 0 / 100 / 0 / 100 / 0 / 100 / 0 / 0 / 0 / 0 / 0 / 0 / 4B06
373 / 5 / 63 / 510 / 1 / 13 / 0 / 49 / 7 / 15 / 0

```